### SEQUENCE LISTING

```
(1) GENERAL INFORMATION:
           (i) APPLICANT: Matalon, Reuben
Kaul, Rajinder
Gao, Guang Ping
                                             Balamurugan, Kuppareddi
Michals-Matalon, Kimberlee
         (ii) TITLE OF INVENTION: Aspartoacylase Gene, Protein, and
                           Methods of Screening for Mutations Associated with Canavan
                           Disease
       (iii) NUMBER OF SEQUENCES: 27
        (iv) CORRESPONDENCE ADDRESS:

(A) ADDRESSEE: Millen, White, Zelano & Branigan,

(B) STREET: 2200 Clarendon Boulevard, Suite 1400

(C) CITY: Arlington

(D) STATE: Virginia

(E) COUNTRY: U.S.A.

(E) ZIP: 22201
          (v) COMPUTER READABLE FORM:
    (A) MEDIUM TYPE: Floppy disk
    (B) COMPUTER: IBM PC compatible
    (C) OPERATING SYSTEM: PC-DOS/MS-DOS
    (D) SOFTWARE: PatentIn Release #1.0, Version #1.25
         (vi) CURRENT APPLICATION DATA:
    (A) APPLICATION NUMBER: US 08/128,020
    (B) FILING DATE: 29-SEP-1993
    (C) CLASSIFICATION:
     (viii) ATTORNEY/AGENT INFORMATION:

(A) NAME: Hamlet-King, Diana

(B) REGISTRATION NUMBER: 33,302

(C) REFERENCE/DOCKET NUMBER: Shutt 1
          (ix) TELECOMMUNICATION INFORMATION:
(A) TELEPHONE: 703-243-6333
(B) TELEFAX: 703-243-6410
(C) TELEX: 64191
```

- (2) INFORMATION FOR SEQ ID NO:1:
  - (i) SEQUENCE CHARACTERISTICS:
    (A) LENGTH: 1435 base pairs
    (B) TYPE: nucleic acid
    (C) STRANDEDNESS: double
    (D) TOPOLOGY: linear

  - (ix) FEATURE:
    - (A) NAME/KEY: CDS (B) LOCATION: 159..1097
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:1:

TTGTAACAGA AAATTAAAAT ATACTCCACT CAAGGGAATT CTGTACTTTG CCCTTTTGGT AAAGTCTCAT TTACATTTCT AAACCTTTCT TAAGAAAATC GAATTTCCTT TGATCTCTCT

	тсте	AATT	GC A	\GAA∕	ATCAG	A TA		ACTAC	; TTG	GTG/	AA AT Me	G AC et Th	IT TO Ir Se	T TE r Cy	iT CA 's Hi	C 5		173
	ATT	GCT Ala	GAA Glu	GAA G1u	CAT His 10	ATA Ile	CAA Gln	AAG Lys	GTT Val	GCT Ala 15	ATC Ile	TTT Phe	GGA Gly	GGA Gly	ACC Thr 20	CAT His		221
	GGG Gly	AAT Asn	GAG Glu	CTA Leu 25	ACC Thr	GGA Gly	GTA Val	TTT Phe	CTG Leu 30	GTT Val	AAG Lys	CAT His	TGG Trp	CTA Leu 35	GAG G1u	AAT Asn		269
	GGC Gly	GCT Ala	GAG G1u 40	ATT Ile	CAG G1n	AGA Arg	ACA Thr	GGG Gly 45	CTG Leu	GAG Glu	GTA Val	AAA Lys	CCA Pro 50	TTT Phe	ATT Ile	ACT Thr		317
	AAC Asn	CCC Pro 55	AGA Arg	GCA Ala	GTG Val	AAG Lys	AAG Lys 60	TGT Cys	ACC Thr	AGA Arg	TAT Tyr	ATT Ile 65	GAC Asp	TGT Cys	GAC Asp	CTG Leu		365
i.	AAT Asn -70-	Arg.	ATT Ile	Phe	Asp	Leu.	Glu	AAT Asn	Leu	GGC Gly	AAA Lys 80	AAA Lys	ATG Met	TCA Ser	GAA G1u	GAT Asp 85	,	413
	TTG Leu	CCA Pro	ΤΔΤ	GΔΔ	GTG	· AGÁ	AGG	ĞĈŤ.	ČÅÄ	GAA Glu 95	ATA Ile	AAT Asn	CAT His	TTA Leu	TTT Phe 100	GGT Gly		461
	CCA Pro	AAA Lys	GAC Asp	AGT Ser 105	GAA Glu	GAT Asp	TCC Ser	TAT Tyr	GAC Asp 110	ATT Ile	ATT Ile	TTT Phe	GAC Asp	CTT Leu 115	CAC His	AAC Asn		509
	AGC Thr	ACC Thr	TCT Ser 120	AAC Asn	ATG Met	GGG Gly	TGC Cys	ACT Thr 125	CTT Leu	ATT	CTT Leu	GAG G1u	GAT Asp 130	TCC Ser	AGG Arg	AAT Asn		557
	ÂAC Asn	TTT Phe 135	TTA Leu	ATT	CAG Gln	ATG Met	TTT Phe 140	CAT His	TAC Tyr	ATT	AAG Lys	ACT Thr 145	TCT Ser	CTG Leu	GCT Ala	CCA Pro		605
	CTA Leu 150	CCC Pro	TGC Cys	TAC Tyr	GTT Val	TAT Tyr 155	CTG Leu	ATT	GAG Glu	CAT His	CCT Pro 160	TCC Ser	CTC Leu	AAA Lys	TAT Tyr	GCG Ala 165		653
	ACC Thr	ACT Thr	CGT Arg	TCC Ser	ATA Ile 170	GCC Ala	AAG Lys	TAT Tyr	CCT Pro	GTG Val 175	GGT Gly	ATA Ile	GAA Glu	GTT Val	GGT Gly 180	CCT Pro		701
	CAG Gln	CCT Pro	CAA Gln	GGG Gly 185	GTT Val	CTG Leu	AGA Arg	GCT Ala	GAT Asp 190	ATC Ile	TTG Leu	GAT Asp	CAA Gln	ATG Met 195	AGA Arg	AAA Lys		749
	ATG Met	ATT Ile	AAA Lys 200	CAT His	GCT Ala	CTT Leu	GAT Asp	TTT Phe 205	ATA Ile	CAT His	CAT His	TTC Phe	AAT Asn 210	GAA Glu	GGA Gly	AAA Lys		797
	GAA G1u	TTT Phe 215	CCT Pro	CCC Pro	TGC Cys	GCC Ala	ATT Ile 220	GAG G1u	GTC Val	TAT Tyr	AAA Lys	ATT Ile 225	ATA Ile	GAG Glu	AAA Lys	GTT Val		845

							*								
GAT Asp 230	TAC Tyr	CCC Pro	CGG Arg	GAT Asp	GAA G1u 235	AAT Asn	GGA Gly	GAA Glu	ATT	GCT Ala 240	GCT Ala	ATC Ile	ATC Ile	CAT His	CCT Pro 245
AAT Asn	CTG Leu	CAG Gln	GAT Asp	CAA G1n 250	GAC Asp	TGG Trp	AAA Lys	CCA Pro	CTG Leu 255	CAT His	CCT Pro	GGG Gly	GAT Asp	CCC Pro 260	ATG Met
TTT Phe	TTA Leu	ACT Thr	CTT Leu 265	GAT Asp	GGG Gly	AAG Lys	ACG Thr	ATC Ile 270	CCA Pro	CTG Leu	GGC Gly	GGA Gly	GAC Asp 275	TGT Cys	ACC Thr
GTG Val	TAC Tyr	CCC Pro 280	GTG Val	TTT Phe	GTG Va 1	AAT Asn	GAG Glu 285	GCC Ala	GCA Ala	TAT Tyr	TAC Tyr	GAA Glu 290	AAG Lys	AAA Lys	GAA Glu
GCT Ala	TTT Phe 295	GCA Ala	AAG Lys	ACA Thr	ACT Thr	AAA Lys 300	CTA Leu	ACG Thr	CTC Leu	AAT Asn	GCA Ala 305	AAA Lys	AGT Ser	ATT	CGC Arg
TGC Cys 310	TGT Cys					CAC	TFGC/	AĞCT	ΓÀ C <i>i</i>	ATCT	ΓACA(	C GGT	TGTC <sup>-</sup>	ΓΤΑC	•
- 1	FICTO	CT. 7	AGTC	řĠŤÁ	ÄĞ≞ C⊺	FČET	FAAG/	√-ĞT/	\ĞGG <sup>-</sup>	ÍTGT.	.GCC	ГТАТ	ΓCA A	ACTG(	CATACA
·		1 2017	19 2 3	- 1	٠ .										ATTA/
															CCTATT
															GCCTT
GIA	TTCAC	. AAi	IAJA	**************************************	IG AV	4A I A(	лА I.А.	1 -A1/	41 <i>AA</i> / 	4011	AAAV	<b>₩₩</b>	<del>1</del> 444 <i>A</i>	4/4/4/	<del>1</del> 4444
(2)	INFO	ORMA"	TION	FOR	SEO	ID I	NO:2	:							
				<u>.</u>	-		ISTI(								
	(1)	- ( <i>)</i>	Á) LI	ENGTI YPE:	1: 3: amin	13 ar 10 ar	mino cid	acio	ds		-		•		
	(ix)	) FĘ/	ATURI	= . Túc //	- / = \/	M = 3.	. c		L _			-			
		( )	3) I (	OCAT:	ION:	83	ifie 					,			
					TNF(	JRMA	TION	: /ne	ote=	"Pho	osph	oryla	at 101	1 S11	te"
	(ix)	(/	3) L(	AME/I OCAT	ION:	105	ifie			" Dia	طممم	- m T	a+ i o	a ci:	+ o !!
	, ,				TML	JKMA	TION	: ///	ove=	PIII	osprii	Jr.y ro	10111	1 51	LE
	(1X)	(/	3) LI	ĀME/I OCAT	ION:	108	ifie TION			"Pho	osph	oryla	atio	n sit	te"
	(ix	() ()	ATUR A) N B) L( D) O	AME/I OCAT	KEY: ION: INF	Mod 146 DRMA	ifie TION	d-si :/ne	te ote=	"Pho	osph	oryla	atio	n sit	te"

(ix) FEATURE:
 (A) NAME/KEY: Modified-site.

(B) LOCATION: 264
(D) OTHER INFORMATION: /note= "Phosphorylation site"

(ix) FEATURE:

(A) NAME/KEY: Modified-site
(B) LOCATION: 117
(D) OTHER INFORMATION: /note= "Potential N-glycosylation" site"

(ix) FEATURE:

(A) NAME/KEY: Active-site (B) LOCATION: 18...24

(D) OTHER INFORMATION: /note= "Consensus sequence predicted to be involved in catalysis"

(ix) FEATURE:

(A) NAME/KEY: Active-site
(B) LOCATION: 275.278
(D) OTHER INFORMATION: /note= "Consensus sequence predicted to be involved in catalysis"

(ix) FEATURE:

(A) NAME/KEY: Active-site
(B) LOCATION: 283..289
(D) OTHER:INFORMATION: Inote= "Consensus sequence predicted to be involved in catalysis"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:

Met Thr Ser Cys His Ile Ala Glu Glu His Ile Gln Lys Val Ala Ile 1 10 15

Phe Gly Gly Thr His Gly Asn Glu Leu Thr Gly Val Phe Leu Val Lys

His Trp Leu Glu Asn Gly Ala Glu Ile Gln Arg Thr Gly Leu Glu Val

Lys Pro Phe Ile Thr Asn Pro Arg Ala Val Lys Lys Cys Thr Arg Tyr 50 55 Ile Asp Cys Asp Leu Asn Arg Ile Phe Asp Leu Glu Asn Leu Gly Lys

Lys Met Ser Glu Asp Leu Pro Tyr Glu Val Arg Arg Ala Gln Glu Ile

Asn His Leu Phe Gly Pro Lys Asp Ser Glu Asp Ser Tyr Asp Ile Ile 100 105

Phe Asp Leu His Asn Thr Thr Ser Asn Met Gly Cys Thr Leu Ile Leu 115 120 125

Glu Asp Ser Arg Asn Asn Phe Leu Ile Gln Met Phe His Tyr Ile Lys

Thr Ser Leu Ala Pro Leu Pro Cys Tyr Val Tyr Leu Ile Glu His Pro 145 150 155

Ser Leu Lys Tyr Ala Thr Thr Arg Ser Ile Ala Lys Tyr Pro Val Gly 175

Ile Glu Val Gly Pro Gln Pro Gln Gly Val Leu Arg Ala Asp Ile Leu 180 185 190

Asp Gln Met Arg Lys Met Ile Lys His Ala Leu Asp Phe Ile His His 195 200 Phe Asn Glu Gly Lys Glu Phe Pro Pro Cys Ala Ile Glu Val Tyr Lys 210 215 220 Ile Ile Glu Lys Val Asp Tyr Pro Arg Asp Glu Asn Gly Glu Ile Ala 225 230 240 Ala Ile Ile His Pro Asn Leu Gln Asp Gln Asp Trp Lys Pro Leu His 245. 250 Pro Gly Asp Pro Met Phe Leu Thr Leu Asp Gly Lys Thr Ile Pro Leu 265 Gly Gly Asp Cys Thr Val Tyr Pro Val Phe Val Asn Glu Ala Ala Tyr 275 280 285 Tyr Glu Lys Lys Glu Ala Phe Ala Lys Thr Thr Lys Leu Thr Leu Asn 290 Ala Lys Ser Ile Arg Cys Cys Leu His 305. 117 127 127 310

(2) INFORMATION FOR SEQ ID NO:3:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 313 amino acids
(B) TYPE: amino acid
(D) TOPOLOGY: linear

(ix) FEATURE:

(A) NAME/KEY: Region (B) LOCATION: 6

LOCATION: OTHER INFORMATION: /note= "This is isoleucine in human, valine in bovine. This is a very conservative substitution.

(ix) FEATURE:

NAME/KEY: Region LOCATION: 9 (A) (B)

- (D) OTHER INFORMATION: /note= "This is glutamic acid in human, aspartic acid in bovine. This is a very conservative substitution.
- (ix) FEATURE
  - (A) NAME/KEY: Region (B) LOCATION: 10 (D) OTHER INFORMATION: /note= "This is histidine in human. proline in boyine. This is a conservative 'substitution.
- (ix) FEATURE

- (A) NAME/KEY: Region
  (B) LOCATION: 12
  (D) OTHER INFORMATION: /note= "This is glutamine in human,
  This is a very conservative lysine in bovine. This is a very conservative substitution.
- (ix) FEATURE: (A) NAME/KEY: Region (B) LOCATION: 38

(D) OTHER INFORMATION: /note= "This is glycine in human, serine in bovine. This is a very conservative substitution.

(ix) FEATURE:

(A) NAME/KEY: Region (B) LOCATION: 39

OTHER INFORMATION: /note= "This is alanine in human. threonine in bovine. This is a very conservative substitution."

(ix) FEATURE:

(A) NAME/KEY: Region (B) LOCATION: 72

(D) OTHER INFORMATION: /note= "This is isoleucine in human, valine in bovine. This is a very conservative substitution.

(ix) FEATURE:

(A) NAME/KEY: Region
(B) LOCATION: 75
(D) OTHER INFORMATION: /note= "This is leucine in human." proline in bovine. This is not a conservative substitution.

(ix) FEATURE:

(A) NAME/KEY: Region (B) LOCATION: 82

OTHER INFORMATION: /note= "This is methionine in human. Tysine in bovine. This is a conservative substitution."

(ix) FEATURE: (A) NAM (B) LOC

(A) NAME/KEY: Region
(B) LOCATION: 134
(D) OTHER INFORMATION: /note= "This is asparagine in human, aspartic acid in bovine. This is a very conservative substitution."

(ix) FEATURE:

(A) NAME/KEY: Region
(B) LOCATION: 200
(D) OTHER INFORMATION: /note= "This is lysine in human. glutamine in bovine. This is a very conservative substitution.

(ix) FEATURE:

(A) NAME/KEY: Region
(B) LOCATION: 208
(D) OTHER INFORMATION: /note= "This is histidine in human, asparagine in bovine. This is a very conservative substitution."

(ix) FEATURE

- (A) NAME/KEY: Region (B) LOCATION: 226 (D) OTHER INFORMATION: /note= "This is isoleucine in human, methionine in boving. This is a very conservative substitution.
- (ix) FEATURE: (A) NAME/KEY: Region (B) LOCATION: 227

#### 25vii

(D) OTHER INFORMATION: /note= "This\_is glutamic acid in human, arginine in bovine. This is not a conservative substitution.

(ix) FEATURE:

(A) NAME/KEY: Region (B) LOCATION: 234\_

(B) LOCATION: 234
(D) OTHER INFORMATION: /note= "This is aspartic acid in human, asparagine in bovine. This is a very conservative substitution."

(ix) FEATURE:

(A) NAME/KEY: Region
(B) LOCATION: 236
(D) OTHER INFORMATION: /note= "This is asparagine in human, serine in bovine. This is a very

(ix) FEATURE:

(A) NAME/KEY: Region (B) LOCATION: 240

(Ď) ÕTHER INFORMATION: /note= "This is alanine in human, serine in bovine. This is a very conservative

substitution.

(ix) FEATURE:

(A) NAME/KEY: Region (B) LOCATION: 246

(D) OTHER INFORMATION: /note= "This is asparagine in human, lysine in bovine. This is a very conservative substitution.

(A) NAME/KEY: Region
(B) LOCATION: 258
(D) OTHER INFORMATION: /note= "This is glycine in human, glutamic acid in bovine. This is a conservative substitution."

(ix) FEATURE:

(A) NAME/KEY: Region (B) LOCATION: 261

(D) OTHER INFORMATION: /note= "This is methionine in human, valine in bovine. This is a very conservative substitution.

(ix) FEATURE:

(A) NAME/KEY: Region (B) LOCATION: 276

(D) OTHER INFORMATION: /note= "This is cysteine in human, glutamine in bovine. This is not a conservative substitution."

(ix) FEATURE:

EATURE:
(A) NAME/KEY: Region
(B) LOCATION: 306
(D) OTHER INFORMATION: /note= "This is lysine in human, asparagine in bovine. This is a very conservative

(ix) FEATURE:

(A) NAME/KEY: Region (B) LOCATION: 310

### 25viii

- (D) OTHER INFORMATION: /note = "This is cysteine in human. serine in bovine. This is a conservative substitution."
- (ix) FEATURE:

  - (A) NAME/KEY: Region
    (B) LOCATION: 311
    (D) OTHER INFORMATION: /note= "This is cysteine in human. serine in bovine. This is a conservative substitution."
- (ix) FEATURE:
  - (A) NAME/KEY: Modified-site (B) LOCATION: 83

  - (D) OTHER INFORMATION: /note= "Phosphorylation site"
- (ix) FEATURE:
  - (A) NAME/KEY: Modified-site (B) LOCATION: 105

  - (Ď) OTHER INFORMATION: /note= "Phosphorylation site"
- (ix) FEATURE:
  - (A) NAME/KEY: Modified-site (B) LOCATION: 108

  - (D) OTHER INFORMATION: /note= "Phosphorylation site"
- (ix) FEATURE:

  - (A) NAME/KEY: Modified-site (B) LOCATION: 146 (D) OTHER INFORMATION: /note= "Phosphorylation site"
- (ix) FEATURE:
  - (A) NAME/KEY: Modified-site (B) LOCATION: 264

  - (D) OTHER INFORMATION: /note= "Phosphorylation site"
- (ix) FEATURE:

  - (A) NAME/KEY: Modified-site (B) LOCATION: 117 (D) OTHER INFORMATION: /note= "Potential N-glycosylation site"
- (ix) FEATURE:

  - (A) NAME/KEY: Active-site
    (B) LOCATION: 18..24
    (D) OTHER INFORMATION: /note= "Consensus sequence" predicted to be involved in catalysis
- (ix) FEATURE:

  - (A) NAME/KEY: Active-site (B) LOCATION: 275. 278 (D) OTHER INFORMATION: /note= "Consensus sequence predicted to be involved in catalysis
- (ix) FEATURE:

  - (A) NAME/KEY: Active-site (B) LOCATION: 283. 289
  - (D) OTHER INFORMATION: /note= "Consensus sequence predicted to be involved in catalysis
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:3:
- Met Thr Ser Cys His Xaa Ala Glu Xaa Xaa Ile Xaa Lys Val Ala Ile 1 10 15
- Phe Gly Gly Thr His Gly Asn Glu Leu Thr Gly Val Phe Leu Val Lys 20 30

His Trp Leu Glu Asn Xaa Xaa Glu Ile Gln Arg Thr Gly Leu Glu Val Lys Pro Phe Ile Thr Asn Pro Arg Ala Val Lys Lys Cys Thr Arg Tyr Ile Asp Cys Asp Leu Asn Arg Xaa Phe Asp Xaa Glu Asn Leu Gly Lys 65 70 80 Lys Xaa Ser Glu Asp Leu Pro Tyr Glu Val Arg Arg Ala Gln Glu Ile 85 90 95 Asn His Leu Phe Gly Pro Lys Asp Ser Glu Asp Ser Tyr Asp Ile Ile 100 105 Phe Asp Leu His Asn Thr Thr Ser Asn Met Gly Cys Thr Leu Ile Leu 125 Glu Asp Ser Arg Asn Xaa Phe Leu Ile Gln Met Phe His Tyr Ile Lys 130 140 Thr Ser Leu Ala Pro Leu Pro Cys Tyr Val Tyr Leu Ile Glu His Pro 145 Ser Leu Lys Tyr Ala Thr Thr Arg Ser Ile Ala Lys Tyr Pro Val Gly 175 Ile Glu Val Gly Pro Gln Pro Gln Gly Val Leu Arg Ala Asp Ile Leu 185 190 Asp Gln Met Arg Lys Met Ile Xaa His Ala Leu Asp Phe Ile His Xaa 195 200 205 Phe Asn Glu Gly Lys Glu Phe Pro Pro Cys Ala Ile Glu Val Tyr Lys 210 220 Ile Xaa Xaa Lys Val Asp Tyr Pro Arg Xaa Glu Xaa Gly Glu Ile Xaa 225 230 240 Ala Ile Ile His Pro Xaa Leu Gln Asp Gln Asp Trp Lys Pro Leu His 245 250 255 Pro Xaa Asp Pro Xaa Phe Leu Thr Leu Asp Gly Lys Thr Ile Pro Leu 265 Gly Gly Asp Xaa Thr Val Tyr Pro Val Phe Val Asn Glu Ala Ala Tyr 275 280 Tyr Glu Lys Lys Glu Ala Phe Ala Lys Thr Thr Lys Leu Thr Leu Asn Ala Xaa Ser Ile Arg Xaa Xaa Leu His 305 310

## (2) INFORMATION FOR SEQ ID NO:4:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 313 amino acids
(B) Type: amino acid

(B) TYPE: amino acid (D) TOPOLOGY: linear

(ix) FEATURE: (A) NAME/KEY: Modified-site (B) LOCATION: 83 (D) OTHER INFORMATION: /note= "Phophorylation site" (ix) FEATURE: (A) NAME/KEY: Modified-site (B) LOCATION: 105 (D) OTHER INFORMATION: /note= "Phosphorylation site" (ix) FEATURE: (A) NAME/KEY: Modified-site (B) LOCATION: 108 (D) OTHER INFORMATION: /note= "Phosphorylation site" (ix) FEATURE: (A) NAME/KEY: Modified-site (B) LOCATION: 146 (D) OTHER INFORMATION: /note= "Phosphorylation site" (ix) FEATURE:
(A) NAME/KEY: Modified-site
(B) LOCATION: 264 (D) OTHER INFORMATION: /note= "Phosphorylation site" (ix) FEATURE: (A) NAME/KEY: Modified-site (B) LOCATION: 117 (D) OTHER INFORMATION: /note= "Potential N-glycosylation (ix) FEATURE: (A) NAME/KEY: Active-site
(B) LOCATION: 18. 24
(D) OTHER INFORMATION: /note= "Consensus sequence predicted to be involved in catalysis" (ix) FEATURE: (A) NAME/KEY: Active-site (B) LOCATION: 275..278 (D) OTHER INFORMATION: /note= "Consensus sequence predicted to be involved in catalysis" (ix) FEATURE: (A) NAME/KEY: Active-site
(B) LOCATION: 283. 289
(D) OTHER INFORMATION: /note= "Consensus sequence predicted to be involved in catalysis" (xi) SEQUENCE DESCRIPTION: SEQ ID NO:4: Met Thr Ser Cys His Val Ala Glu Asp Pro Ile Lys Lys Val Ala Ile 1 10 15 Phe Gly Gly Thr His Gly Asn Glu Leu Thr Gly Val Phe Leu Val Lys

His Trp Leu Glu Asn Ser Thr Glu Ile Gln Arg Thr Gly Leu Glu Val 35

Lys Pro Phe Ile Thr Asn Pro Arg Ala Val Lys Lys Cys Thr Arg Tyr 50 60

Ile Asp Cys Asp Leu Asn Arg Val Phe Asp Pro Glu Asn Leu Gly Lys 75 75 Lys Lys Ser Glu Asp Leu Pro Tyr Glu Val Arg Arg Ala Gln Glu Ile 85 90 Asn His Leu Phe Gly Pro Lys Asp Ser Glu Asp Ser Tyr Asp Ile Ile 100 105Phe Asp Leu His Asn Thr Thr Ser Asn Met Gly Cys Thr Leu Ile Leu 125 Glu Asp Ser Arg Asn Asp Phe Leu Ile Gln Met Phe His Tyr Ile Lys 130 135 Thr Ser Leu Ala Pro Leu Pro Cys Tyr Val Tyr Leu Ile Glu His Pro 145 150 160 Ser Leu Lys Tyr Ala Thr Thr Arg Ser Ile Ala Lys Tyr Pro Val Gly Ile Glu Val Gly Pro Gln Pro Gln Gly Val Leu Arg Ala Asp Ile Leu 180 Asp Gln Met Arg Lys Met Ile Gln His Ala Leu Asp Phe Ile His Asn 200 205 Phe Asn Glu Gly Lys Glu Phe Pro Pro Cys Ala Ile Glu Val Tyr Lys 210 215 Ile Met Arg Lys Val Asp Tyr Pro Arg Asn Glu Ser Gly Glu Ile Ser 230 235 Ala Ile Ile His Pro Lys Leu Gln Asp Gln Asp Trp Lys Pro Leu His 245 250 Pro Glu Asp Pro Val Phe Leu Thr Leú Asp Gly Lys Thr Ile Pro Leu 265 Gly Gly Asp Gln Thr Val Tyr Pro Val Phe Val Asn Glu Ala Ala Tyr 275 280 Tyr Glu Lys Lys Glu Ala Phe Ala Lys Thr Thr Lys Leu Thr Leu Asn 290 300 Ala Asn Ser Ile Arg Ser Ser Leu His 305

# (2) INFORMATION FOR SEQ ID NO:5:

- (i) SEQUENCE CHARACTERISTICS:
   (A) LENGTH: 18 base pairs
   (B) TYPE: nucleic acid
   (C) STRANDEDNESS: single
   (D) TOPOLOGY: linear
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:5:

GTAAGACACC GTGTAAGATG

(2) INFORMATION FOR SEQ ID NO:6:	
(i) SEQUENCE CHARACTERISTICS:    (A) LENGTH: 19 base pairs    (B) TYPE: nucleic acid    (C)`STRANDEDNESS: single    (D) TOPOLOGY: linear	
(ix) FEATURE:  (A) NAME/KEY: modified_base  (B) LOCATION: 1  (D) OTHER INFORMATION: /mod_base= OTHER  /note= "The M13 universal primer tag is attached to base number 1."	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:6:	
CCGGGATGAA AATGGAGAA	19
(2) INFORMATION FOR SEQ ID NO:7:	
(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 18 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear	
(ix) FEATURE:  (A) NAME/KEY: modified_base  (B) LOCATION: 1  (D) OTHER INFORMATION: /mod base= OTHER  /note= "The M13 reverse primer tag is attached to base 1."	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:7:	
ACCGTGTAAG ATGTAAGC	18
(2) INFORMATION FOR SEQ ID NO:8:	
(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 19 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:8:	
AGGATCAAGA CTGGAAACC	19
(2) INFORMATION FOR SEQ ID NO:9:	
(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 20 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:9:	

- (2) INFORMATION FOR SEQ ID NO:10:
  - (i) SEQUENCE CHARACTERISTICS:
    (A) LENGTH: 7 amino acids
    (B) TYPE: amino acid
    (D) TOPOLOGY: linear
  - (iii) HYPOTHETICAL: NO
    - (v) FRAGMENT TYPE: internal
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:10:
  - Gly Gly Thr His Gly Asn Glu
    1 5
- -(2) INFORMATION FOR SEQ ID NO:11:
- (i) SEQUENCE CHARACTERISTICS:
  (A) LENGTH: 7 amino acids
  (B) TYPE: amino acid
  (D) TOPOLOGY: linear
  - (jjj); HYPOTHETICAL: NO
    - (v) FRAGMENT TYPE: internal
    - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:11:
    - Val Asn Glu Ala Ala Tyr Tyr 1
- (2) INFORMATION FOR SEQ ID NO:12:
  - (i) SEQUENCE CHARACTERISTICS:
    (A) LENGTH: 7 amino acids
    (B) TYPE: amino acid
    (D) TOPOLOGY: linear
  - (v) FRAGMENT TYPE: internal
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:12:
  - Val Xaa Glu Xaa Xaa Xaa Tyr 1 5
- (2) INFORMATION FOR SEQ ID NO:13:
  - (i) SEQUENCE CHARACTERISTICS:
    (A) LENGTH: 26 amino acids
    (B) TYPE: amino acid
    (D) TOPOLOGY: linear
  - (iii) HYPOTHETICAL: NO
    - (v) FRAGMENT TYPE: internal

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:13: Leu Glu Asn Ser Thr Glu Ile Gin Arg Thr Gly Leu Glu Val Lys Pro 1 10 15 Phe Ile Thr Asn Pro Arg Ala Val Lys Lys 20 25

- (2) INFORMATION FOR SEQ ID NO:14:
  - (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 37 amino acids (B) TYPE: amino acid (D) TOPOLOGY: linear
  - (iii) HYPOTHETICAL: NO
    - (v) FRAGMENT TYPE: internal
    - (XT) SEQUENCE DESCRIPTION: SEQ ID NO:14:

Lys Rro Leu Ile Pro Xaa Asp Pro Val Phe Leu Thr Leu Asp Gly Lys 15 5 10

Tile Ser Leu Gly Gly Asp Gln Thr Xaa Tyr Pro Xaa Phe Xaa Asn 20 25 30

Glu Ala Ala Tyr Tyr 35

- (2) INFORMATION FOR SEQ ID NO:15:
  - (行) SEQUENCE CHARACTERISTICS: (A) LENGTH: 24 amino acids (B) TYPE: amino acid (D) TOPOLOGY: linear
  - (iii) HYPOTHETICAL: NO
    - (v) FRAGMENT TYPE: internal
    - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:15:

Ile His Pro Lys Leu Gln Asp Gln 20

- (2) INFORMATION FOR SEQ ID NO:16:
  - (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 16 amino acids (B) TYPE: amino acid (D) TOPOLOGY: linear

- (iii) HYPOTHETICAL: NO
  - (v) FRAGMENT TYPE: internal

Xaa Xaa Xaa Ala Leu Asp Phe Ile Xaa Asn Phe Xaa Glu Xaa Lys Glu 1 10 15

```
(2) INFORMATION FOR SEQ ID NO:17:
          (i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 20 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear
         (ix) FEATURE:
                    (A) NAME/KEY: modified_base
(B) LOCATION: 6
(D) OTHER INFORMATION: /mod_base= i
         (ix) FEATURE:
              (A) NAME/KEY: modified base
(B) LOCATION: 15
            TEL (D): OTHER INFORMATION: /mod_base=_i
        (ix) FEATURE:
    (A) NAME/KEY: modified_base
    (B) LOCATION: 16
    (D) OTHER INFORMATION: /mod_base= i
        (ix) FEATURE:
    (A) NAME/KEY: modified_base
    (B) LOCATION: 18
     (D) OTHER INFORMATION: /mod_base= i
        (xi) SEQUENCE DESCRIPTION: SEQ ID NO:17:
AARGTNGAYT AYCCNNGNAA
 (2) INFORMATION FOR SEQ ID NO:18:
          (i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 20 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear
         (ix) FEATURE:
                    (A) NAME/KEY: modified_base
(B) LOCATION: 9
(D) OTHER INFORMATION: /mod_base= i
         (ix) FEATURE:
                    (A) NAME/KEY: modified_base
(B) LOCATION: 11
(D) OTHER INFORMATION: /mod_base= i
        (ix) FEATURE:
(A) NAME/KEY: modified_base
(B) LOCATION: 15
                    (D) OTHER INFORMATION: /mod_base= i
```

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:16:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:18: TGRTCYTGNA NYTTNGGRTG	20
(2) INFORMATION FOR SEQ ID NO:19:  (i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 16 base pairs	
(A) LENGTH: 16 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:19:	16
(2) INFORMATION FOR SEQ ID NO:20:	
(i) SEQUENCE CHARACTERISTICS:    (A) LENGTH: 20 base pairs    (B) TYPE: nucleic acid    (C) STRANDEDNESS: single    (D) TOPOLOGY: linear	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:20:	
CTTCTGAATT GCAGAAATCA	20
(2) INFORMATION FOR SEQ ID NO:21:	
(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 20 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:21:	
GTAAGACACC GTGTAAGATG	20
(2) INFORMATION FOR SEQ ID NO:22:	
(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 23 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear	
<pre>(ix) FEATURE:     (A) NAME/KEY: modified_base     (B) LOCATION: 6     (D) OTHER INFORMATION: /mod_base= i</pre>	
<pre>(ix) FEATURE:     (A) NAME/KEY: modified_base     (B) LOCATION: 9     (D) OTHER INFORMATION: /mod_base= i</pre>	
<pre>(ix) FEATURE:     (A) NAME/KEY: modified_base</pre>	

--

(B) LOCATION: 18 (D) OTHER INFORMATION: /mod_base= i	
(ix) FEATURE: (A) NAME/KEY: modified_base (B) LOCATION: 21 (D) OTHER INFORMATION: /mod_base= i	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:22:	
GGRTANACNG TYTGRTCNCC NCC	23
(2) INFORMATION FOR SEQ ID NO:23:	
(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 20 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear	
SS A AVA FEATIRE.	
(A) NAME/KEY: modified_base (B) LOCATION: 3 (D) OTHER INFORMATION: /mod_base= i	
(ix) FEATURE:	\$ \text{\psi}
(A) NAME/KEY: modified_base (B) LOCATION: 6 (D) OTHER INFORMATION: /mod_base= i	
(ix) FEATURE: (A) NAME/KEY: modified base	
(A) NAME/KEY: modified_base (B) LOCATION: 9 (D) OTHER INFORMATION: /mod_base= i	
(ix) FEATURE: (A) NAME/KEY: modified_base (B) LOCATION: 12 (D) OTHER INFORMATION: /mod_base= i	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:23:	20
CCNMGNGCNG TNAARAARTG	20
(2) INFORMATION FOR SEQ ID NO:24:	
(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 4 amino acids (B) TYPE: amino acid (D) TOPOLOGY: linear	
(iii) HYPOTHETICAL: NO	
(v) FRAGMENT TYPE: internal	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:24:	
Asp Cys Thr Val	

151 (168) (30) (6.61)

```
25xviii
(2) INFORMATION FOR SEQ ID NO:25:
       (i) SEQUENCE CHARACTERISTICS:
   (A) LENGTH: 7 amino acids
   (B) TYPE: amino acid
   (D) TOPOLOGY: linear
       (v) FRAGMENT TYPE: internal
     (ix) FEATURE:
              (A) NAME/KEY: Active-site (B) LOCATION: 1..7
              (D) OTHER INFORMATION: /note= "Consensus sequence of catalytic
                        center in esterases
     (ix) FEATURE:
    (A) NAME/KEY: Region
    (B) LOCATION: 5
    (D) OTHER INFORMATION: /note= "Amino acid 5 is glycine or
                        alanine"
     (ix) FEATURE:
(A) NAME/KEY: Region
(B) LOCATION: 7
              (D) OTHER INFORMATION: /note= "Amino acid 7 is glutamic acid or aspartic acid"
     (xi) SEQUENCE DESCRIPTION: SEQ ID NO:25:
      Gly Xaa Xaa His Xaa Xaa Xaa 1
(2) INFORMATION FOR SEQ ID NO:26:
       (i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 4 amino acids
(B) TYPE: amino acid
(D) TOPOLOGY: linear
       (v) FRAGMENT TYPE: internal
     (ix) FEATURE:
              (A) NAME/KEY: Active-site (B) LOCATION: 1..4
               (D) OTHER INFORMATION: /note= "Consensus sequence of catalytic
                        center in esterases
```

(ix) FEATURE:

(A) NAME/KEY: Region (B) LOCATION: 4

- (D) OTHER INFORMATION: /note= "Amino acid 4 is phenylalanine or valine"
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:26:

Asp Xaa Xaa Xaa

- (2) INFORMATION FOR SEQ ID NO:27:
  - (i) SEQUENCE CHARACTERISTICS:
    (A) LENGTH: 7 amino acids
    (B) TYPE: amino acid
    (D) TOPOLOGY: linear
  - (v) FRAGMENT TYPE: internal

- (ix) FEATURE:
   (A) NAME/KEY: Active-site
   (B) LOCATION: 1..7
   (D) OTHER INFORMATION: /note= "Consensus sequence of catalytic center in esterases
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:27:
- Val Xaa Glu Xaa Xaa Xaa Tyr 1